
CONCENTRATION OF BIRDS ON YARD [square feet per bird (sf/bird)]

	LOW RISK (rank 4)	LOW-MOD RISK (rank 3)	MOD-HIGH RISK (rank 2)	HIGH RISK (rank 1)	RISK NUMBER
Chickens (Broilers)	No lot. In building with watering system in good working order. Runoff diversion.	No lot. In building with watering system in good working order. Inadequate runoff diversion.	Earthen lot with 2 sf/bird or more, on medium-textured soils (silt loam, loam). Water table deeper than 20 feet.	Earthen lot and 2 sf/bird or more on coarse-textured soils (sand, sandy loam). Water table less than 20 feet.	
Chickens (Layers)	No lot. In building with watering system in good working order. Runoff diversion.	No lot. In building with watering system in good working order. Inadequate runoff diversion.	Earthen lot with 4 sf/bird or more, on medium-textured soils (silt loam, loam). Water table deeper than 20 feet.	Earthen lot with 4 sf/bird or more on coarse-textured soils (sand, sandy loam). Water table less than 20 feet.	
Turkeys	No lot. In building with watering system in good working order. Runoff diversion.	No lot. In building with watering system in good working order. Inadequate runoff diversion.	Earthen lot with 8 sf/bird or more, on medium-textured soils (silt loam, loam). Water table deeper than 20 feet.	Earthen lot with 8 sf/bird or more on coarse-textured soils (sands, sandy loam). Water table less than 20 feet.	
Ducks	No lot. In building with watering system in good working order. Runoff diversion.	No lot. In building with watering system in good working order. Inadequate runoff diversion.	Earthen lot with 4 sf/bird or more, on medium-textured soils (silt loam, loam). Water table deeper than 20 feet.	Earthen lot with 4 sf/bird or more on coarse-textured soils (sand, sandy loam). Water table less than 20 feet.	
Use this total to calculate risk rank:				Rank Number	
				Total:	
