

Name: \_\_\_\_\_

## Subtracting Fractions

with Unlike Denominators

Step 1: Find equivalent fractions and rewrite the problem so that the denominators are the same.

Step 2: Subtract the numerators.

Step 3: Use the same denominator.

example:

$$\begin{array}{r} \frac{1}{4} = \frac{2}{8} \\ - \frac{1}{8} = \frac{1}{8} \\ \hline \frac{1}{8} \end{array}$$

a. 
$$\begin{array}{r} \frac{4}{8} \\ - \frac{1}{4} \\ \hline \end{array}$$

b. 
$$\begin{array}{r} \frac{7}{12} \\ - \frac{3}{6} \\ \hline \end{array}$$

c. 
$$\begin{array}{r} \frac{1}{2} \\ - \frac{1}{6} \\ \hline \end{array}$$

d. 
$$\begin{array}{r} \frac{9}{10} \\ - \frac{1}{2} \\ \hline \end{array}$$

e. 
$$\begin{array}{r} \frac{4}{6} \\ - \frac{1}{3} \\ \hline \end{array}$$

f. 
$$\begin{array}{r} \frac{7}{10} \\ - \frac{2}{5} \\ \hline \end{array}$$

g. 
$$\begin{array}{r} \frac{5}{12} \\ - \frac{1}{6} \\ \hline \end{array}$$

h. 
$$\begin{array}{r} \frac{1}{2} \\ - \frac{1}{3} \\ \hline \end{array}$$

i. 
$$\begin{array}{r} \frac{1}{2} \\ - \frac{1}{4} \\ \hline \end{array}$$

j. 
$$\begin{array}{r} \frac{5}{8} \\ - \frac{2}{8} \\ \hline \end{array}$$

k. 
$$\begin{array}{r} \frac{9}{10} \\ - \frac{2}{5} \\ \hline \end{array}$$

l. 
$$\begin{array}{r} \frac{5}{6} \\ - \frac{2}{3} \\ \hline \end{array}$$