

QUESTION

- 1. The patient is unable to walk
- 2. The patient is unable to stand without aid
- 3. The patient is unable to perform ADLs
- 4. The patient is unable to perform IADLs (e.g., shopping, driving, etc.)

ANSWER

The patient is unable to walk, stand, or perform ADLs. The patient is unable to perform IADLs (e.g., shopping, driving, etc.). The patient is unable to perform ADLs (e.g., shopping, driving, etc.).

The patient is unable to walk, stand, or perform ADLs. The patient is unable to perform IADLs (e.g., shopping, driving, etc.).

EXPLANATION

- 1. The patient is unable to walk
- 2. The patient is unable to stand without aid
- 3. The patient is unable to perform ADLs
- 4. The patient is unable to perform IADLs (e.g., shopping, driving, etc.)
- 5. The patient is unable to perform ADLs (e.g., shopping, driving, etc.)
- 6. The patient is unable to perform IADLs (e.g., shopping, driving, etc.)

The patient is unable to walk, stand, or perform ADLs. The patient is unable to perform IADLs (e.g., shopping, driving, etc.).

REFERENCE

- 1. The patient is unable to walk
- 2. The patient is unable to stand without aid
- 3. The patient is unable to perform ADLs
- 4. The patient is unable to perform IADLs (e.g., shopping, driving, etc.)
- 5. The patient is unable to perform ADLs (e.g., shopping, driving, etc.)
- 6. The patient is unable to perform IADLs (e.g., shopping, driving, etc.)

The patient is unable to walk, stand, or perform ADLs. The patient is unable to perform IADLs (e.g., shopping, driving, etc.).