ᅙ	6.					ò		.4	'n	2		1.	
Total Checks	Stress	D. Other Psychopathology	C. Medical status	B. Depression	A. Coping behaviors	Mental Health	B. Significant Others	Prior Suicidal Behavior of A. Self	Resources	Pain	B. How prepared C. How soon D. How (Lethality of method) E. Chance of intervention	Current Suicide Plan A. Details	
	No significant stress.	Stable relationships, personality, and school performance.	No significant medical problems.	Mild; feels slightly down.	Daily activities continue as usual with little change.	History of mental illness, but not	No significant others have engaged in suicidal behavior.	No prior suicidal behavior.	Help available; student acknowledges that significant others are concerned and available to help.	Pam is bearable. Wants pain to stop, but not desperate. Identifies ways to stop the pain.	Means not available. No specific time. Pills, slash wrists. Others present most of the time.	Vague.	Risk present, but lower
	Moderate reaction to loss and environmental changes.	Recent acting-out behavior and substance abuse; acute suicidal behavior in stable personality.	Acute, but short-term, or	Moderate; some moodiness, sadness, irritability, loneliness, and	Some daily activities disrupted; disturbance in eating, sleeping, and	Mentally ill, but currently receiving	history of threats. Significant others have recently attempted suicidal behavior.	One previous low lethality attempt,	Family and friends available, but are not perceived by the student to be willing to help.	Pan is almost unbearable. Becoming desperate for relief. Limited ways to cope with pain.	Has means close by. Within a few days or hours. Drugs/alcohol, car wreck Others available if called upon.	Some specifics.	Medium Risk
	Severe reaction to loss or environmental changes.	Suicidal behavior in unstable personality; emotional disturbance; repeated difficulty with peers, family, and teacher.	Chronic debilitating, or acute	Overwhelmed with hopelessness, sadness, and feelings of helplessness.	Gross disturbances in daily functioning.	Mentally ill and not currently receiving	Significant others have recently committed suicide.	One of high lethality or multiple attempts	Family and friends are not available and/or are hostile, injurious, exhausted	Pain is unbearable. Desperate for relief from pain. Will do anything to stop the pain.	Has means in hand. Immediately. Gun, hanging, jumping. No one nearby; isolated.	Well thought out.	Higher Risk